




Steel Wire Rope 6x36WS-IWRC

Product information



ISO 4309 Rope Category No: All Diameters **RCN.09**

Rope construction: 6x36WS-IWRC.

Marking: According to standard

Standard: EN 12385-4

Fill factor: 0.59

RCN: 09

Slings




Winch rope



Stay rope



Overhead cranes



Tower crane



Container crane



Mobile port crane



Offshore crane



Loading crane



Crawler crane



Piling crane



Ladle crane



STS crane



Straddle carrier



RTG



Part Code	Rope Diameter,	Steel area mm ²	Min. Breaking force kN. 1960 N/mm ²	Weight kg/100m
101100804270231	8	29.4	44.7	26.2
101101004270231	10	46	69.8	40.9
101101104270231	11	55.7	84.4	49.5
101101204270231	12	66.2	100	58.9
101101304270231	13	77.7	118	69.1
101101404270231	14	90.2	137	80.2
101101604270231	16	118	179	105
101101804270231	18	149	226	133
101102004270231	20	184	279	164
101102204270231	22	223	338	198
101102404270231	24	265	402	236
101102604270231	26	311	472	276
101102804270231	28	361	547	321
101103004270231	30	414	628	368

101103204270231	32	471	715	419
101103404270231	34	532	807	473
101103604270231	36	596	904	530
101104004270231	40	736	1120	654
101104204270231	42	811	1231	721
101104404270231	44	891	1351	792
101104604270231	46	973	1476	865
101104804270231	48	1,060	1608	942
101105004270231	50	1,150	1744	1,023
101105204270231	52	1,244	1887	1,106
101105404270231	54	1,341	2035	1,193
101105604270231	56	1,443	2188	1,283
101105804270231	58	1,547	2347	1,376
101106004270231	60	1,656	2512	1,472