

## Stainless Rigging Screw with Jaw/Terminal

---

### Product information

Stainless steel rigging screws design: fork / terminal a.k.a jaw / terminal.  
Also available with other end fittings on request. The larger size rigging screws from M20 and up are designed with a rounded fork head and are available with Stainless Steel with bronze threaded inserts for smooth adjustment.

... [Read more](#)

---



**Material:** Stainless steel AISI 316.

**Marking:** Thread and/or wire size


**Temperature range:** -50°C to +100°C and briefly up to +200°C

**Finish:** Polished.

**Warning:** It is strongly recommended to lubricate threads first, before tensioning.

## Stainless Rigging Screw with Jaw/Terminal

### Blueprint



### Technical data

Part code	Rope Ø range mm	Pin diameter mm	Size	Packing Qty.	PIN mm	A mm	B mm	D mm	L1 mm	L2 mm	Weight kg/100pc	Packing Qty.
1207120205	2	5	M5	10	5	7.5	9.4	5.5	198	144	4.5	10
1207122505	2.5	5	M5	10	5	7.5	9.4	5.5	201	147	4.6	10
1207120306	3	5	M6	10	5	7.5	9.4	6.35	232	170	8.5	10
1207120306X	3	6	M6	10	6	9.5	10.4	6.35	233	171	8.5	10
1207120406	4	5	M6	10	5	7.5	10.4	7.5	242	180	8.7	10
1207120406X	4	6	M6	10	6	9.5	10.4	7.5	242	180	9.1	10
1207120408	4	6	M8	10	6	9.5	10.4	7.5	275	199	13	10
1207120408X	4	8	M8	10	8	11	12.2	7.5	277	201	13	10
1207120508	5	6	M8	10	6	9.5	13	9	281	205	13.2	10
1207120508X	5	8	M8	10	8	11	12.2	9	284	208	14.8	10
1207120510	5	8	M10	10	8	11	14	9	312	228	22.5	10
1207120510X	5	9.5	M10	10	9.5	12.5	14	9	316	236	22.5	10
1207120610	6	8	M10	10	8	11	17	12.6	328	248	25.6	10
1207120610X	6	9.5	M10	10	9.5	12	18.5	12.58	330	250	27.4	10
1207120612	6	12	M12	5	12	14	14	12.58	393	287	47.5	5
1207120712	7	12	M12	5	12	14	25	14.2	401	295	50	5
1207120714	7	12	M14	5	12	14	25	14.2	439	319	58	5
1207120714X	7	14	M14	5	14	18	32	14.2	453	335	68.8	5
1207120812	8	12	M12	5	12	14	25	16	416	310	53.5	5
1207120814	8	12	M14	5	12	14	25	16	453	333	63.5	5
1207120816	8	14	M16	5	14	18	32	16	498	365	89.5	5
1207120816L	8	14	M16	5	14	22	30	16	494	361	89.5	5

## Stainless Rigging Screw with Jaw/Terminal

### Technical data

Part code	Rope Ø range mm	Pin diameter mm	Size	Packing Qty.	PIN mm	A mm	B mm	D mm	L1 mm	L2 mm	Weight kg/100pc	Packing Qty.
1207120816X	8	16	M16	5	16	17	32.5	16	496	374	89.5	5
1207121016	10	14	M16	5	14	18	33	17.8	506	373	93	5
1207121016L	10	14	M16	5	14	22	33	17.8	504	371	93	5
1207121016X	10	16	M16	5	16	18	33	17.8	510	376	93	5
1207121020	10	19	M20	Bulk	19	24	48	17.8	587	427	170.1	-
1207121220	12	19	M20	Bulk	19	24	48	20	603	453	170.1	-
1207121220X	12	19	M20	Bulk	19	24	48	21.4	622	462	170.1	-
1207121422	14	22	M22	Bulk	22	30	58	25	590	555	452	-
1207121424	14	25.4	M24	Bulk	25.4	30	47.8	25	846	613	642	-
1207121622	16	22	M22	Bulk	22	30	57.5	28	696	588	490	-
1207121624	16	25.4	M24	Bulk	25.4	30	62	28	874	644	662	-
1207121927	19	28	M27	Bulk	28	32	68	34.5	968	734	878	-
1207122230	22	32	M30	Bulk	32	35	76	40.5	1,076	814	1,074	-
1207122636	26	35	M36	Bulk	35	40	86	46	1,195	921	1,682	-