



Green Pin suure avaga tõsteseekel G-4263

Tootekirjeldus

- **General:** Bow shackles with safety bolt.

- **Temperature range:** -20°C up to +200°C.

- **Certification:** At no extra charges this product can be supplied with a works certificate, 3.1 material certificate, manufacturer test certificate and/or EC Declaration of Conformity.

Materjal: Bow and pin alloy steel, Grade 8, quenched and tempered.

Märgistus: CE-tähisega

Pinnakate: Hot dipped galvanized.

Ohutustegur: 6:1

Klass: 8

Tootekood	WLL tonn	A mm	B mm	C mm	D, mm	e mm mm	f mm mm	g mm mm	h mm mm	i mm mm	j mm mm	k mm mm	Kaal kg	Tarneaeg
420100481020	4,75	22	25	52	22	63	112	88	173	157	132	23	2,08	7
420100651020	6,5	25	28	59	25	75	135	105	204	183	155	25	3,14	7
420100851020	8,5	28	32	66	28	82	148	115	225	205	171	27	4,36	7
420100951020	9,5	32	35	72	32	90	162	126	248	224	190	30	5,95	7
420101201020	12	35	38	79	35	100	180	140	274	245	210	33	7,87	7
420101601020	16	38	42	88	38	106	216	159	319	248	235	19	12,5	7
420102501020	25	45	50	103	45	127	248	175	370	296	265	23	16,7	7
420103001020	30	50	57	118	50	146	273	207	411	332	307	26	25	7
420105501020	55	65	70	145	65	165	314	213	487	391	343	32	45	7
420107501020	75	83	83	164	83	184	330	254	537	460	420	39	70	7

Blueprint

