



McKissick "Light Champion" plokiratas seekliga

Tootekirjeldus

Design: Can be furnished with bronze bushings or roller bearings. Opening feature permits insertion of rope while block is suspended from gin-pole. The blocks have exclusive bolt retaining spring to assure no lost bolts. Pressure lube fittings.

Materjal: Forged steel swivel tees, yokes and shackles.

Märgistus: CE-tähisega, Type, WLL, wire and sheave dia.

Pinnakate: Blue painted.

Ohutustegur: 4:1

Tootekood	Kood	Trossi Ø mm	WLL tonn	Ratta Ø mm	Laager	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	Kaal kg	Tarneaeg
424100200200	419 w/eye	8-10	2	76	BB	220	76	67	168	14	14	35	35	1,8	7
424100200205	419	8-10	2	76	BB	235	76	67	185	13	13	34	40	2,3	7
424100400200	419	10-13	4	114	BB	340	108	79	268	16	18	43	51	5,4	7
424100800200	419	16-19	8	152	BB	481	152	106	373	32	32	76	88	12,7	7
424100800205	419	16-19	8	152	RB	481	152	106	373	32	32	76	88	12,7	7
424100800206	419	16-19	8	203	BB	533	206	106	398	32	32	76	88	15	7
424100800207	419	16-19	8	203	RB	533	206	106	398	32	32	76	88	15	7
424100800208	419	16-19	8	254	BB	586	257	106	425	32	32	76	88	19,5	7
424100800209	419	16-19	8	254	RB	586	257	106	425	32	32	76	88	19,5	7
424100800201	419	16-19	8	305	BB	657	308	106	471	32	32	76	88	24,9	7
424100800203	419	16-19	8	356	BB	695	359	106	484	32	32	76	88	30,4	7
424100800204	419	16-19	8	356	RB	695	359	106	484	32	32	76	88	30,4	7

Blueprint

